

Piccola





Modern design, unrivaled compactness, illuminated dispensing zone, limitless convenience. This is “Piccola”, the small-but-mighty Blupura solution for every home and office.

Attractive and incredibly compact in its dimensions, Piccola stands out for its versatility, in both aesthetic and functional terms. Available in white or black versions, to allow it to fit seamlessly into any surrounding, Piccola offers a full four dispensing options: still, slightly sparkling, sparkling cold water and room temperature water.

The Piccola **Hot** model dispenses hot water up to **85°C**, perfect for making teas and infusions. Piccola **Hot** features LED dispensing buttons with an alarm in the event of the absence of water, overflow or boiler malfunction.

Piccola is equipped with Blupura Direct Chill, an exclusive hygienic, direct-cooling technology with large-capacity carbonator.

Piccola **Cabinet**



Piccola **Hot**



Piccola **White**






		Lt./h	Price €						Dimensions W x D x H (mm)	Weight (kg)	Dispensing area He (mm)	Products per EURO PALLET ¹
PICCOLA 15		15	910,00		•		•		240 x 451 x 425	12,5	281	18
PICCOLA 15 Fizz		15	1.375,00	•	•	•	•		240 x 451 x 425	16,3	281	18
PICCOLA HOT 15		15	1.175,00		•		•	•	240 x 451 x 425	14,2	281	18
PICCOLA HOT 15 Fizz		15	1.670,00	•	•		•	•	240 x 451 x 425	18,4	281	18
PICCOLA WHITE 15		15	910,00		•		•		240 x 451 x 425	12,5	281	18
PICCOLA WHITE 15 Fizz		15	1.375,00	•	•	•	•		240 x 451 x 425	16,3	281	18
PICCOLA WHITE HOT 15		15	1.175,00		•		•	•	240 x 451 x 425	14,2	281	18
PICCOLA WHITE HOT 15 Fizz		15	1.670,00	•	•		•	•	240 x 451 x 425	18,4	281	18

¹ Information not valid for shipments by air

Optional Extras			Price €	Accessories			Price €
In-line filters		Filter + Head	160,00		Incremental digital litre-counter 6000R		42,00
		UV In	220,00				
Outlet filters		UVC OUT	150,00		Decremental digital litre-counter 8000T		42,00
	or 	Nano Silver Pipe	24,00				
Reducers		Water pressure reducer	46,00		Piccola Cabinet		240,00
		CO2 pressure reducer with 1 pressure gauge (only for Fizz models)	60,00				
Other		Bluprotection	30,00		5 Lt. tank with re-fill alarm		160,00

Dimensions	Dimensions W x D x H (mm)	Dispensing area He (mm)
Piccola	240 x 451 x 425	281
Piccola White	240 x 451 x 425	281
Piccola Cabinet	450 x 450 x 811	-



For the Piccola Cabinet, see page 87

Technical profile	PICCOLA 15 Fizz	PICCOLA Hot 15 Fizz	PICCOLA WHITE 15 Fizz	PICCOLA WHITE Hot 15 Fizz
Cooling capacity	15 (Lt/h.)	15 - 8 (Lt/h.)	15 (Lt/h.)	15 - 8 (Lt/h.)
Temperature of cold water*	5° - 12° C	5° - 12° C	5° - 12° C	5° - 12° C
Cooling technology	BDC	BDC	BDC	BDC
Cold water coil	Stainless steel AISI 316	Stainless steel AISI 316	Stainless steel AISI 316	Stainless steel AISI 316
Max. hot water temperature	-	82° C +/-5%	-	82° C +/-5%
Hot water tank AISI 304 1000W Cooling	-	1 Lt.	-	1 Lt.
Cooling	Forced ventilation	Forced ventilation	Forced ventilation	Forced ventilation
Adjustable thermostat	Yes	Yes	Yes	Yes
Refrigerant gas	HC R600a	HC R600a	HC R600a	HC R600a
Professional carbonation pump	Membrane	Membrane	Membrane	Membrane
Power supply	230 V - 50 Hz	230 V - 50 Hz	230 V - 50 Hz	230 V - 50 Hz
Power consumption	190W - 1,05A	810W - 3,10A	190W - 1,05A	810W - 3,10A
Ambient cooling temperature	Min 5° C - Max 35° C	Min 5° C - Max 35° C	Min 5° C - Max 35° C	Min 5° C - Max 35° C
Materials	ABS Plastic	ABS Plastic	ABS Plastic	ABS Plastic

*estimated at an ambient temperature of 25°C and an incoming water temperature of 20°C